F00RJ02130 CRDI Injector Valve Set Technical File

SKU1: G1S8F00RJ02130

SKU2:G1L10F00RJ02130/L10000B2BJ02130

SKU3:G1N3F00RJ02130/ N30000B2BJ02130

SKU4:G1F2F00RJ02130/ F20000B2BJ02130 VALVE SET

CRD[COMMON RAIL



F00RJ02130 CRDI Injector Valve Set Technical File

Content

1. F00RJ02130 CRDI Injector Valve Set Introduction	3	
1.1. F00RJ02130 CRDI Injector Valve Set Basic Information	3	
1.2. F00RJ02130 CRDI Injector Valve Set Application Information	3	
1.3. F00RJ02130 CRDI Injector Valve Set Specifications and Dimensions Parameters	6	
1.4. F00RJ02130 CRDI Injector Valve Set Quality Control		
1.5. F00RJ02130 CRDI Injector Valve Set Customized Service	6	
1.6. F00RJ02130 CRDI Injector Valve Set Spare Parts & Packing List	7	
1.7. F00RJ02130 CRDI Injector Valve Set Warranty Instructions	8	
1.8. F00RJ02130 CRDI Injector Valve Set Storage Standard	9	
2. F00RJ02130 CRDI Injector Valve Set Technical Support	9	
2.1. F00RJ02130 CRDI Injector Valve Set Installation Precautions		
2.2. F00RJ02130 CRDI Injector Valve Set Replacement Conditions	10	
2.3. F00RJ02130 CRDI Injector Valve Set Technical Support Obtaining Methods	11	
3. F00RJ02130 CRDI Injector Valve Set Purchase and Delivery	11	
3.1. F00RJ02130 CRDI Injector Valve Set Purchase Payment Terms		
3.2. F00RJ02130 CRDI Injector Valve Set Main Sales Market.		
3.3. F00RJ02130 CRDI Injector Valve Set Declaration Requirements	12	
3.4. F00RJ02130 CRDI Injector Valve Set Shipping Ways		
3.5. F00RJ02130 CRDI Injector Valve Set Lead Time	12	
3.6. FOORJO2130 CRDI Injector Valve Set Logistics Time for Destination Out of China's Areas	12	
3.7. F00RJ02130 CRDI Injector Valve Set Packing		
4. Company Information	13	
4. Company Information	14	
4.2. Contact Information	14	
5. Copyright Statement	14	

F00RJ02130 CRDI Injector Valve Set Technical File

1. F00RJ02130 CRDI Injector Valve Set Introduction

The CRDI injector valve set is a crucial element of the injector system, consisting of the valve stem and valve cap. It is situated in the control room within the injector body and plays a pivotal role in regulating oil injection and return. This set is not only a core component but also susceptible to high damage rates.

Valve Cap Inspection:

Utilize a microscope to examine the contact surface between the valve cap and the ball for any indications of damage. If damage is identified, the valve cap should be promptly replaced.

Valve Stem Inspection:

Top of Valve Stem: Scrutinize the top of the valve stem for any surface damage. A change in the original silver color to white indicates damage, necessitating a replacement.

Contact Area with Injector: Similarly, inspect the valve stem's contact area with the injector for surface damage. Any change from the original silver color to white indicates the need for replacement.

1.1. FOORJO2130 CRDI Injector Valve Set Basic Information

Title	F00RJ02130 CRDI Injector Valve Set China Made New
SKU1	G1S8F00RJ02130
SKU2	G1L10F00RJ02130/ L10000B2BJ02130
SKU3	G1N3F00RJ02130/ N30000B2BJ02130
SKU4	G1F2F00RJ02130/ F20000B2BJ02130

1.2. FOORJO2130 CRDI Injector Valve Set Application Information

(1) F00RJ02130 CRDI Injector Valve Set Adapted Vehicle Information

(1) FUUKJUZ130 CKDI Injector valve Set Adapted Venicle Information								
Injector Part Number	Car Model	OE Number	OE Number	OE Number	/	/	/	/
0.445	CDC (CONSOLIDATED DIESEL CO.)	397 6372			7 /			
0 445 120 059	CUMMINS	3 976 372	4 945 969	/	/	/	_/_	/
	KOMATSU	6754- 11-3011	/		/	/	_/	/
0 445 120 060	CUMMINS	3 977 080	4 983 267	3977081	/			/
120 060	DAF	170393 4	/	/	/	/	/	/
T/7	CUMMINS	4 937 065	/		///	/	_//	/
0 445 120 123	DONGFENG CUMMINS ENGINE (DCEC)	D49370 65	/	/ = /	/	/	/	/
	TATA (TELCO)	570107 999907	/	/	/	/	/	/
0 445 120 132	CUMMINS	4 945 381	/		///	/		/
0 445 120 151	CUMMINS	4 981 128	/	/	/	/	/	/



0 445	CUMMINS	4 981	1		/	/	-//	/
120 152		126	_					_
0 445 120 208	CUMMINS	5 254 688				/		/
0 445 120 209	CUMMINS	5 254 682	/	/	1	/	/	/
0 445	CUMMINS	5 254	1	- /-	- /	/		/
120 210 0 445	CUMMINS	686 5 254	/	/	/	/	/	/
120 211		684 2830	/			1	1	/
	CASE	957	,		,	,	,	,
0 445	CUMMINS	5 255 184						/
120 212	FORD	BG9X 9K526 BA	7		/	/		/
	VW	2R0 198	1	1	///	1	4/	/
	(VOLKSWAGEN)	133	,		,	,	,	,
0 445 120 231	CUMMINS	5 263 262	1	/	_ /	_/_	_/_	/
120 231	KOMATSU	6754- 11-3011	/	/	/	/	/	/
0 445 120 239	CUMMINS	5 263 312	/_		- /			/
0 445	CUMMINS	5 263 316	/	/	/	/	/	/
120 238	DODGE	5135 790AD	5135 790AB	05135 790AC	R51357 90AF	05135 790AD	5135 790AC	05135 790AB
0 445	CUMMINS	5 263 321	/	/	/	/	/	/
120 250	TEMSA	5 263 321			/ / /	/	-/_	/
0 445 120 251	CUMMINS	5 263 314	/		- /	/	_/_	/
0 445 120 252	CUMMINS	5 263 315	/	/	1	/	/	/
0 445 120 254	CUMMINS	5 263 317	/		1	/	_//	/
	CUMMINS	5 263 318	/	/	/	/	/	/
0 445 120 255	DODGE	5086 894AA	R80040 82AC	05086 894AA	/ / /	/	/	/
	RAM	R80040 82AC	5086 894AA		_ /	_/_	_/_	/
0 445	CLIB AD AIRIC	5 263	/		1	/	-/	/
120 256	CUMMINS	319		· 				
0 445 120 273	CLINANAINIC	5 263	//	_ /_	_ /		_/_	/
	CUMMINS	307						
0 445 120 328	CUMMINS	307 5 273 750	527375 0	/	/	/	/	/



120 455

(2) F00RJ02130 CRDI Injector Valve Set Adapted injector Information

Injector Series	Injector Part Number	System Pressure	Re- manufactured Part Number	System Pressure	Universal Number	System Pressure	Universal Number	System Pressure
CRIN1- 14/16	0 445 120 059	/	0 986 435 597	1600	0 445 120 231	1600		/
CRIN1- 14/16	0 445 120 060		0 986 435 533	1600	0 445 120 250	1600	- /	/
CRIN1- 14/16	0 445 120 123	1600	0 986 AD1 048	1600	0 445 120 123	_/_		/
CRIN1- 14/16	0 445 120 132	/	/	/	/	/	/	/
CRIN1- 14/16	0 445 120 151				0 445 120 239	1600	7/7	/
CRIN1- 14/16	0 445 120 152	/	/	/	0 445 120 252	1600	/	/
CRIN1- 14/16	0 445 120 208		0 986 435 505	1600	0 445 120 238	1600		/
CRIN1- 14/16	0 445 120 209	1	0 986 435 575		0 445 120 254	1600	F 00E 200 425	/
CRIN1- 14/16	0 445 120 210	7	0 986 435 503	1600	0 445 120 255	1600	1	/
CRIN1- 14/16	0 445 120 211		/		7 /	_/_		/
CRIN1- 14/16	0 445 120 212	1600	0 986 435 508	1400	/	/	/	/
CRIN1- 14/16	0 445 120 231	1600	0 986 435 597	1600	/ /	/_		/
CRIN1- 14/16	0 445 120 238	1600	0 986 435 505	1600	/	/	/	/
CRIN1- 14/16	0 445 120 239	1600		\ / /	/ /	_ /	_//	/
CRIN1- 14/16	0 445 120 250	1600	0 986 435 533	1600	_ /	_/_		/
CRIN1- 14/16	0 445 120 251	1600	/	1	/	/	/	1
CRIN1- 14/16	0 445 120 252	1600	1		7 /	_/_	7/7	/_
CRIN1- 14/16	0 445 120 254	1600	0 986 435 575	1600	F 00E 200 425	/	/	/
CRIN1- 14/16	0 445 120 255	1600	0 986 435 503	1600	/			/
CRIN1- 14/16	0 445 120 256	1600	0 986 435 576	1600	F 00E 200 435	/	/	/
CRIN1- 14/16	0 445 120 273	1600	0 986 435 571	1600	/	/	- /	/
		747	0 986 AD1 953	1600	7 /	_/_		/
CRIN1- 14/16	0 445 120 328	1600	/	/	/	/	/	/
CRIN1-	0 445 120	1600	/		- /	/-		/



14/16	455	$\chi - \chi$	X - Y		

(3) F00RJ02130 CRDI Injector Valve Set Part Number Common Writing

FOORJO2130, FOORJO2130, F OOR JO2 130, F OOR JO2 130, FOOR JO2 130, FOOR JO2 130, FOOR JO2 130, FOOR JO2130, F OOR JO2130, F OOR

1.3. F00RJ02130 CRDI Injector Valve Set Specifications and Dimensions Parameters

CRDI Injector Valve Set Size: 13 cm*2 cm *2 cm
CRDI Injector Valve Set Box Size: 14 cm *3 cm *3 cm
CRDI Injector Valve Set Packing Size: 31 cm *12 cm

CRDI Injector Valve Set Net Weight: 0.03kg
CRDI Injector Valve Set Gross Weight: 0.03kg
CRDI Injector Valve Set Quality: China Made New

CRDI Injector Valve Set MOQ: 4PC

1.4. F00RJ02130 CRDI Injector Valve Set Quality Control

(1) CRDI Injector Valve Set Testing

All parts of the CRDI injector valve set have undergone precision testing, high temperature testing, low temperature testing, withstand pressure testing, leakage testing, durability testing, and various working conditions testing.

(2) CRDI Injector Valve Set Inspection

The factory inspection of the CRDI injector valve set is undergone three inspections: full inspection, random inspection, and batch inspection. Different brands of test benches are used to test the same CRDI injector valve set for more than three times for factory inspection, and the CRDI injector valve set 's installation and testing environment are progressed in dust-free workshop.

(3) CRDI Injector Valve Set Installation

When matching the valve cap and valve steam, Shumatt strictly complies with the standard of valve cap and valve stem clearance technical indicators to ensure that each CRDI injector valve set meets the factory standards and use standards.

1.5. F00RJ02130 CRDI Injector Valve Set Customized Service

(1) CRDI Injector Valve Set Customized Service Coverage: Meet the customized needs of OEM manufacturers for valve color and lustre, valve cap groove customization, valve cap lettering ,valve cap logo engraving, valve cap QR code engraving, CRDI injector valve set internal packaging, CRDI injector valve set external packaging and label customization needs.

No.	1	2
Image		
Name	Valve Cap Color And Lustre	Valve Cap Color And Lustre
Description	Customized 1000 pieces (white color is optional)	Customized 1000 pieces (purple red color is optional)
No.	3	4



Image		
Name	Valve Cap Groove Customization	Valve Cap Lettering, Logo Engraving, QR Code Engraving Customization
No.	5	6
Image	74	
Name	Valve Set Box	Valve Set Box
Description	Rectangle is optional	Cylindrical is optional
No.	7	8
Image	1988 X NOV.	SHUMATT F00/C01376 Common rail valve Application: 0445110354 (0445110424 F200000280C01376 stand: Carto from Application: Application Application: Application Application: Application Application: Application Applicatio
Name	Valve Set Bag	Valve Set Label 7cm*5cm

(2) CRDI Injector Valve Set Customized Service Requirements:

The purchase of customized CRDI injector valve set package is no less than 100 pieces.

The purchase of customized CRDI injector valve set groove is no less than 100 pieces.

The purchase of customized CRDI injector valve set is no less than 1000 pieces.

The purchase of customized CRDI injector valve cap engraving is no less than 1000 pieces.

The purchase of customized CRDI injector valve color is no less than between 1000 -10000 pieces.

▲ When the customized pstemucts involve the need of specify logo, the OEM manufacturer is asked to provide trademark authorization and the sample of logo image file.

• Once the customized CRDI injector valve set is sold, it can not be returned or exchanged if there is no quality problems.

1.6. FOORJO2130 CRDI Injector Valve Set Spare Parts & Packing List

No.	1	2
Image	shum & (t	
Name	CRDI Injector Valve Set	CRDI Injector Valve Set Anti-rust Paper
Description	CRDI injector valve set part number	Prevent the CRDI injector valve set
Description	F00RJ02130	from rusting
No.	3	4



Image		
Name	CRDI Injector Valve Set Box (Rectangle)	CRDI Injector Valve Set Box (Cylindrical)
Description	Protect the CRDI injector valve set from being damaged by colliding	Protect the CRDI injector valve set from being damaged by colliding
No.	5	6
	VCI VCI	
Image	10A V	
Image Name	VCI Anti-rust Bag	

 $oldsymbol{\mathbb{A}}$ Minors are prohibited from using the CRDI injector valve set, valve set anti-rust paper, valve assembly box, and VCI anti-rust bag to avoid personal injury.

⚠ The Valve Set box is recyclable and can be reused.

VCI anti-rust bag is non-degradable material, please dispose of it properly after use.

1.7. F00RJ02130 CRDI Injector Valve Set Warranty Instructions

(1) CRDI Injector Valve Set Warranty Conditions and Instructions

It is necessary to provide pictures, videos, or test reports detected by the CRDI injector valve set inspection equipment when the valve set is abnormal during use as evidence to feed back to the salesman.

Abnormal conditions are properly explained such as:1. Smoke, 2. Engine shake, 3. Difficulty starting the engine, 4. Engine noise, 5.0il leakage and other abnormal conditions.

The above condition may also be affected by other components of the injector. If it is confirmed by our company to be a pstemuct problem, it is within the scope of the subsidy.

(2) CRDI Injector Valve Set Warranty Coverage

Within 15 days after customer receives the F00RJ02130 CRDI injector valve set, if there is a performance failure and the pstemuct has no appearance damage, customer can choose to replace it;

If the F00RJ02130 CRDI injector valve set has performance problems during the warranty period (6-12 months), and it is confirmed that it is pstemuct's problems after being tested, you can contact our salesmen to replace the same model for free;

If the pstemuct is confirmed to be fault-free, the pstemuct will be returned.

(3) CRDI Injector Valve Set Out of Warranty Coverage

- ① The warranty period has expired, not covered by warranty.
- ② CRDI injector valve set failure caused by high temperature, high pressure, humidity, rain and snow, saline-alkali land, earthquake, and used in abnormal environment.
- ③ CRDI injector valve set damage caused by man-made reasons (throwing, strong magnetic field magnetization, set fire).
- ④ CRDI injector valve set failure or injector damage caused by non-injector design, technology, manufacturing, quality and other issues.



- ⑤ CRDI injector valve set failure due to system pressure exceeding system approved pressure.
- © CRDI injector valve set failure caused by impurities (water, lead, aluminum powder, iron powder, sulfide) in the system fuel exceeding the standard requirements.
- © CRDI injector valve set failure caused by not installing according to the tightening torque specified in the vehicle engine maintenance manual (the tightening torque is too large or too small).
- ® CRDI injector valve set failure caused by not following the installation angle specified in the injector maintenance manual.
- © CRDI injector valve set failure caused by not following the cleaning requirements specified in the injector maintenance manual.
- (II) CRDI injector valve set failure caused by failure to replace consumable parts as specified in the injector maintenance manual.

1.8. FOORJO2130 CRDI Injector Valve Set Storage Standard

(1) Choose a Suitable Storage Place

The warehouse and cargo yard where the CRDI injector valve set is stored should be kept clean and dry, and away from the factory buildings that generate harmful gases and dust; do not mix with acid, alkali, salt and other substances; the storage place should have a good drainage system; the cargo yard should be flattened with gravel or furnace ash etc. to enhance the water permeability of the surface layer to keep the reservoir area dry.

(2) Strict Requirements of Warehousing

Strict inspections should be carried out when the CRDI injector valve sets are put into storage, the surface cleaning work should be done well to remove water traces, oil stains, ash and other dirt, remove the rust and do anti-rust treatment in time. Packaged CRDI injector valve set must be protected from damage.

(3) Keep The Warehouse Dry And Preventing Moisture

The relative humidity is usually below 70% for the CRDI injector valve set placed in the room, and the corrosion of the CRDI injector valve set is significantly reduced.

CRDI injector valve set must be stored in the warehouse, and they are forbidden to store in the same warehouse with commodities with high water content.

(4) Stack Properly

After the CRDI injector valve set is exposed to rain, the corrosion rate will increase significantly. The purpose of sealing is to isolate the CRDI injector valve set from rainwater and humid air, so the warehouse window should be checked in time to avoid rainwater entering the warehouse.

If the CRDI injector valve set package is damaged, it should be repaired or replaced; when the package is damp, the packaging material should be dried; if the original anti-corrosion and oil applied at the factory is found to be damaged or dried up, it should be cleaned and re-applied oil in time.

It is forbidden to leave the CRDI injector valve set exposed in the air for a long time.

lacktriangle It is forbidden to store acid, alkali, salt and other substances together with the CRDI injector valve set.


The unpacked CRDI injector valve set must be rust-proof during secondary storage.

2. F00RJ02130 CRDI Injector Valve Set Technical Support

2.1. FOORJO2130 CRDI Injector Valve Set Installation Precautions


- (1) Clean the CRDI injector valve set in an ultrasonic cleaner for 3-5 minutes before installation, so as to make the stains, dust, rust-proof oil oxides, paraffin base, naphthenic base, intermediate base, salt, lead naphthenate, zinc naphthenate, sodium petroleum sulfonate, barium petroleum sulfonate, calcium petroleum sulfonate, tallow diamine trioleate, rosinamine on the surface of the CRDI injector valve set fall off.
- (2) Use compressed air to clean the cleaning fluid attached to the surface of the CRDI injector valve set after cleaning, and clean it up to the standard of use.
- (3) When installing the steel ball and ball seat, pay attention to the steel ball should close tightly to the oil return hole at the top of the valve cap, as shown below:





Pic No.1

(4) When installing the valve stem, make sure that the valve stem and the bonnet must ensure that the valve stem can move smoothly in it, as shown below:



Pic No.2

(5) When installing the CRDI injector valve set, the oil inlet position should be 180° between the oil inlet position of the injector body.

If the injector steel ball and the ball seat are not installed in accordance with the standard, it may cause serious damage to the CRDI injector valve set.


2.2. FOORJO2130 CRDI Injector Valve Set Replacement Conditions

(1) Valve Cap

Under the microscope, magnify 20 times to check that the oil inlet hole of the valve cap and the oil return hole of the bonnet are not worn, grooved, scratched, damaged, rusted or dented.

ı		offilet are flot worth, grooved, 3	cratched, damaged, rusted or d	ented.
4	No.	1	2	3
	Image			
	Description	CRDI injector valve set oil inlet hole location	CRDI injector valve set oil return hole location	The oil inlet and oil return holes of the CRDI injector valve set are free of wear, grooves, scratches, damage, rust, dents, which do not need to be replaced
ĺ	No.	4	5	6





⚠ The wear of the top oil return hole causes the oil return to be too large and the leaking injector cannot inject oil.

⚠ The oil inlet hole on the side is blocked, causing the injector to fail to establish the pressure chamber and the injector cannot work normally

Mear of the oil chamber of the valve cap will cause fuel injector failure. In severe cases, the fuel injector will not work properly.

(2) Valve Stem

Magnify 20 times under a microscope to check whether the valve stem is worn, the surface is not smooth, discolored, or rusty.

No.	1	2	3
Image			
Description	The valve stem is worn out and needs to be replaced	The valve stem surface is not smooth and colorless, and it needs to be replaced	The valve stem is rusty and needs to be replaced

The excessive clearance between the valve stem wear, housing and the valve cap will causes injector lag.

 $oldsymbol{\mathbb{A}}$ The valve stem lag will cause the injector to start the solenoid to start, and the oil needle can not return quickly after the nozzle is opened.



⚠ Check the injector components before replacing the CRDI injector valve set according following the injector service manual to avoid further damage to the CRDI injector valve set after replacement.

2.3. FOORJO2130 CRDI Injector Valve Set Technical Support Obtaining Methods

- (1) CRDI Injector Valve Set Technical Data: https://www.crdiinjectorvalveset.com/download/
- (2) CRDI Injector Valve Set Videos: https://www.crdiinjectorvalveset.com/videos/
- (3) CRDI Injector Valve Set Encyclopedia: https://www.crdiinjectorvalveset.com/category/news/encyclopedia/

3. FOORJO2130 CRDI Injector Valve Set Purchase and Delivery.

3.1. F00RJ02130 CRDI Injector Valve Set Purchase Payment Terms

Payment Terms: T/T, PayPal, Alipay, WeChat

• Please contact our salesmen for specific payment information.

3.2. FOORJO2130 CRDI Injector Valve Set Main Sales Market.

CRDI Injector Valve Set main sales markets: Asia, Europe, North America, South America, Africa etc.



3.3. FOORJO2130 CRDI Injector Valve Set Declaration Requirements

Shumatt can assist customers to provide the following documents for import customs clearance: contract, invoice, packing list, bill of lading, insurance policy, certificate of origin, etc.

3.4. FOORJO2130 CRDI Injector Valve Set Shipping Ways

Destination in China areas: SF Express, Debon Express, the corresponding logistics company can be provided according to customer requirements in special cases.

Destinations out of China's areas: DHL, UPS, FedEx, TNT air, ocean or other shipping methods required by customers.

3.5. FOORJO2130 CRDI Injector Valve Set Lead Time

Lead time: Send out within 3 - 7 working days after receiving payment(Except for special pstemucts and special cases).

3.6. FOORJO2130 CRDI Injector Valve Set Logistics Time for Destination Out of China's Areas

DHL Logistics Time:

Country or Region of Departure	Hong Kong, China	Other Countries or Regions of Asia	Australia and New Zealand	Europe	America	Other Countries
China's Mainland	7 Days	7 Days	8 Days	8 Days	8- 12 Days	7-10 Days

UPS Logistics Time: Country or Region of Departure: China's Mainland

Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time
Japan	3 Days	UK	5-7 Days	Egypt	5-7 Days
Turkey	5-7 Days	Singapore	3 Days	Switzerland	5-7 Days
Bahrain	5-7 Days	Latvia	7-10 Days	New Zealand	7-10 Days
Sri Lanka	5-7 Days	Thailand	3 Days	Austria	5-7 Days
Romania	5-7 Days	Vietnam	3-5 Days	Estonia	5-7 Days
Malaysia	3-5 Days	Israel	5-7 Days	Mexico	7-10 Days
France	5-7 Days	America	5-7 Days	United Arab Emirates	5-7 Days
Italy	5-7 Days	Netherlands	5-7 Days	Bengal	7-10 Days
Lebanon	5-7 Days	Philippine	3-5 Days	Greece	7-10 Days
South Korea	3 Days	Spain	5-7 Days	Myanmar	5-7 Days
Canada	5-7 Days	Germany	5-7 Days	Saudi Arabia	7-10 Days
Portugal	5-7 Days	Australia	5-7 Days	South Africa	7-10 Days
Denmark	5-7 Days	Belgium	5-7 Days	Ukraine	7-10 Days
India	7-10 Days	Qatar	7-10 Days	Poland	5-7 Days
Indonesia	3-5 Days	Morocco	7-10 Days	Pakistan	7-10 Days
Kuwait	7-10 Days	/	/	/	/



The logistics time is for reference only, subjects are according to the actual arrival.

3.7. FOORJO2130 CRDI Injector Valve Set Packing

Domestic Express Packaging: Usually wrapped in waterproof scotch tape, such as picture No.1.



International Express Packaging: Wrapped with waterproof yellow tape After wrapping the black protective film, such as picture No. 2.

Pallet Shipping: Use fumigation free and recycling trays that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties for the outside, such as picture No. 3, Also, the pstemucts can be packaged according to customers' requirements.

⚠ The packing tray is made of plastic and can be recycled.

Transparent tape, yellow tape, black wrapping protective film, white wrapping protective film are non-degradable materials, please dispose of them properly.

A Minors are prohibited from using transparent tape, yellow tape, black wrapping protective film, and white wrapping protective film to avoid personal injury.

No.	Image	Name	Description
1		Domestic Express Packaging	Wrapped by Transparent tape
2		International Express Packaging	Wrapped with yellow tape after wrapping black protective film
3		Pallet Shipping	Use pallet that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties

4. Company Information



Pic No.3

4.1. Company Introduction

Chinese Name: 深圳市舒马特科技有限公司

English Name: Shenzhen Shumatt Technology Co., Ltd

Common Rail Diesel Injector Manufacturer: Shenzhen Shumatt Technology Co., Ltd

☐ Mob Phone/WeChat: +86-13410541523

HK Telephone: +852-67653519

Telephone: +86-755-23215133

Shenzhen Office: 11-12, Floor 14, Building 13, Qinchengda Building, Exit A, Honglang North Subway Station, Bao'an District, Shenzhen, China's Mainland

Shenzhen Office: Exit C, Qiao Touxi Metro Station, NO. 66 Chongqing Road, Fuhai Avenue, Bao'an District, Shenzhen, China Mainland

Hong Kong Office: Jianfa Street Industrial Zone, Tuen Mun, New Territories, Hong Kong, China

After-sales Service Address: Please contact our salesmen to obtain and provide the corresponding product maintenance reasons (Reference: 1.7. F00RJ02130 CRDI Injector Valve Set Warranty Instructions)

4.2. Contact Information

Name	WeChat/ WhatsApp
Ruby	+86-13410541523

5. Copyright Statement

The material on this file "FOORJO2130 CRDI Injector Valve Set Technical File" is the property of Shenzhen Shumatt Technology Co., Ltd and is protected by international copyright laws. The content is allowed to be cited for non-profit purposes, and please indicate the source: "Reprinted from www.crdiinjectorvalveset.com" to respect the content supplier's labor results. Copying, reproducing, redistributing, modifying, publishing, transmitting without permission is strictly prohibited. We reserve the right to pursue legal action against those who use the content illegally.